

# Supporting information

## Strong adhesion and cohesion of chitosan in aqueous solutions

Dong Woog Lee,<sup>a</sup> Chanoong Lim,<sup>b</sup> Jacob N. Israelachvili,<sup>a,c,\*</sup> and Dong Soo Hwang<sup>b,d,e\*</sup>

<sup>a</sup> Department of Chemical Engineering, University of California at Santa Barbara, CA 93106, USA.

<sup>b</sup> School of Interdisciplinary Bioscience and Bioengineering, Pohang University of Science and Technology (POSTECH), Pohang 790-784, South Korea

<sup>c</sup> Materials Department, University of California at Santa Barbara, CA 93106, USA

<sup>d</sup> School of Environmental Science and Engineering & <sup>e</sup> POSTECH Ocean Science and technology Institute (POSTI), Pohang University of Science and Technology (POSTECH), Pohang 790-784, South Korea

\* To whom correspondence should be addressed.

Email: [dshwang@postech.ac.kr](mailto:dshwang@postech.ac.kr), Phone: +82(54) 279-9505, Fax: +82(54) 279-9519.

Email: [Jacob@engineering.ucsb.edu](mailto:Jacob@engineering.ucsb.edu), Phone: (805) 893-8407, Fax: (805) 893-7870.




Figure S1. Degree of deacetylation (DD) of chitosan molecule used in this study by <sup>1</sup>H NMR measurement.